Geoscience Information Network (US GIN)



AAASG Association of American State Geologists

1,000's of databases 1,000's of collections

80,000+ geologic maps

Distributed Web-based Interoperable Open source



A different business model

Traditional

Lobby Congress for a new program, housed in USGS. Share the appropriation.

SGS 2.0 Build capacity and services that we can market to agencies, industry, academia

Implementation



INTEROP-GIN: system design and demonstration



Validated as data integration mechanism by USGS Community on Data Integration



Metadata profile for upstream petroleum industry



Contributions to National Geothermal Data System

Geoscience Partners

Oceans Ocean Observing Initiative (OOI) **Atmospheres** Earth Science Information Partnership (ESIP) Federation **Earth Sciences** CUAHSI- Hydrologic Information System National Geoinformatics Community (NGC) Environment DataONE (Data Observation Network for Earth) International OneGeology AuScope

Collaborators – New Partners

WESTERN REGIONAL PARTNERSHIP

Working Agreement

-

- 15 Federal Agencies and Governors in NM, AZ, UT, NV, CA
- 10,000 GIS layers for land use management









Energy Industry Metadata Standards Working Group

 End-to-end discovery, access, and exchange of upstream petroleum data





GIN (Geosciences Information Network) Architecture Example – *The NGDS Pilot Project*



Core Science Systems

Core System Informatics

data integration services

capacity

•framework for science programs



US GIN Strategic Plan

- business/sustainability model
- governance
- inventory of 'owned' resources
- delivery August 2011





State Geological Survey Contributions to the National Geothermal Data System www.stategeothermaldata.org





Association of American State Geologists











Overview

National Geothermal Data System



- Data from all 50 states to the NGDS
- Streamline access to geoscientific information used to locate, evaluate, and develop geothermal resources
- Web-based, distributed, interoperable, open source
 New paradigm in data stewardship







STATE GEOTHERMAL DATA

Selected data resources in State Geological Surveys

3.5 million wells – oil & gas, water

195,000 well logs

50,000 geothermal wells

750,000 BHT's

6 Tb existing digital data

>75,000 scanned publications & maps

2.5 million feet of core

600,000 sample logs





Geothermal Energy for the Home







The components

- Catalog find information
- Services get information
- Clients use information











Content Models

Active Fault

- Alteration description
- Aquifer temperature map
- Borehole lithology log
- Borehole temperature data
- Crustal Stress data
- Developed geothermal system feature
- Direct use feature
- Drill stem test
- Earthquake hypocenter
- Enhanced geothermal system feature
- Aqueous chemistry
- Geologic map
- Geologic Unit geothermal
 characterization

- Geothermal map
- Gravity data
- Heat flow measurement
- Hot spring description
- Isopach map
- Metadata
- Permeability
- Production statistics record
- Resource suitability map
- Rock chemistry
- Thermal conductivity measurement
- Well header
- Volcanic vent description





Content Models

🗲 🔿 🖸 👬 🔇 services.azgs.az.gov/arcqis/services/aasqqeothermal/AZThermalSprings/MapServer/WFS



Home » Data Delivery » Content Model Templates

					10	
Cor	ite	2			AP	AQ
Each of t	the <u>f</u>	e	1	Measure	dTemperature	CorrectedTe ure
system	serv	er				
observa				Α		В
include.		Но	otSpr	ringURI	Name	
In order of the co	1					
desired template						
Temp	2					
remp	3					
0	Activ	vel	-aul	t Templa	tes	
۰	Bas	ic	Meta	idata Ter	nplate	
۰	Dire	ect	Use	Feature		
0	Hot	Sp	ring	Feature	Template	
	Oil	Ga	s ar	d Explor	atory Well Ten	nplates

- <gml:Envelope srsName="urn:ogc:def:crs:EPSG:6.9:4326">
- <gml:lowerCorner>31.3619999999998 -114.745/gml:lowerCorner>
- <gml:upperCorner>36.89950000000003 -109.1289</gml:upperCorner>
- </gml:Envelope>

</gml:boundedBy>

<gml:featureMember>

- <aasg:thermalSprings gml:id="F2_1">
 - <aasg:OBJECTID>1</aasg:OBJECTID>

<aasg:ThermalSpringURl>http://resources.usgin.org/uri-gin/azgs/thermalspring/AP34.4344109.3986/<
<aasg:Label>Salado Springs: 22C</aasg:Label>

<aasg:Name>Salado Springs</aasg:Name>

<aasg:Source>Waring, Gerald A., 1965. Thermal Springs of the United States and Other Countries c
y.USGS Prof Paper 492, 407 pp. | Berry, George W. , Grim, Paul J. and lkelman, Joy A. June 19
d Atmospheric Administration Key to Geophysical Records Documentation No. 12.</aasg:Source>

<aasg:FeatureType>warm spring</aasg:FeatureType>

<aasg:SourceURI>http://www.ngdc.noaa.gov/hazard/data/pp492.pdf</aasg:SourceURI>

<aasg:LandLeaseOwner>unknown</aasg:LandLeaseOwner>

<aasg:County>Apache</aasg:County>

<aasg:OtherLocationName>AMS SAINT JOHNS | USGS SALADO 7.5</aasg:OtherLocationName>

<aasg:PLSS_Meridians>Gila and Salt River Meridian</aasg:PLSS_Meridians>

<aasg:State>Arizona</aasg:State>

<aasg:Range>28E</aasg:Range>

<aasg:Township>12N</aasg:Township>

<aasg:Section_>17</aasg:Section_>

<aasg:LatDegree>34.434399999999997</aasg:LatDegree>

<aasg:LongDegree>-109.3986</aasg:LongDegree>

<aasg:LocationUncertaintyStatement>Group of springs on topo</aasg:LocationUncertaintyStatement>

<aasg:Temperature>21.8500000000001</aasg:Temperature>

<aasg:TemperatureUnits>C</aasg:TemperatureUnits>

<aasg:TempMeasurementProcedure>unknown</aasg:TempMeasurementProcedure>

<aasg:Flow>2</aasg:Flow>

<aasg:FlowMeasurementProcedure>unknown</aasg:FlowMeasurementProcedure>

<aasg:FlowUnits>GPM</aasg:FlowUnits>

<aasg:FlowMeasurementDateTime>unknown</aasg:FlowMeasurementDateTime>

<aasg:MeasurementSource>unknown</aasg:MeasurementSource>

<aasg:Classification>6</aasg:Classification>

 $<\!\!aasg:RelatedWaterChemistry\!>\!\!unknown\!<\!/aasg:RelatedWaterChemistry\!>$

WMS for well headers

ServicesDemo.mxd - ArcMap - ArcIr	nfo				
File Edit View Bookmarks Inse	rt Selection Geoprocessing Customize Windows Help				
- 🗅 🔂 🖨 🐴 % 🖻 🖻 X 🤊 🔿	🛯 🛧 - 🚺 1:80,000 🔹 🗸 🔜 📰 🗊 🗊 🖾 🐎 💽 🤤 🔍 🗨	🔊 🎯 💥 53 💠 🌩 🖾 - 🖾	k 🚺 / 🗐 🔛 .	👫 📸 🕺 🔟 🔍 💂	
	- Editor	・半 四中×彡 目図 8	-		
Table Of Contents # × Image: Second state Image: Second state Image: Second state </td <td>Oil and Gas Records Search Results:</td> <td></td> <td></td> <td>Cunskir</td> <td></td>	Oil and Gas Records Search Results:			Cunskir	
	Sort By: Record Number (Ascending)	cords Per Page: 10	Results: 1-:	10 of 1	
🗄 🗹 USA Topo Maps	download all oilgas results	1			
	-Record #- -Permit #-			<i>if available:</i> Well Sample Report Link	
	-County / Quadrangle-			Core Information Link	
Identify	-Carter Coords- -Quick Map View- -Petroleum Map View-	E-Log (download if avail)	<u>DjVu Record</u>	Production Data Link <u>More info/key</u>	- -Cor
Identify from: <a>Top-most lay	-Geologic Map Service- -upload location to GPS (help)-			Pay Data Report Link (every well)	
Location: -83.278412 37.046588 RecNo HeaderU 13802 http://resources.us gin/kgs/well/R133	Rec #: 138021 Per #: 105716 County/Quad: Leslie / CUTSHIN Carter Coords: 12-G-75 1360N, 1455W Quick Map: <u>google map view</u> Geol. Map Service: <u>new: geologic map service</u> Petroleum Map: <u>geologic map service</u> Upload to GPS:	√ Image/File Download	<u>View</u> Documents	Pay Data Report	<u>We</u> Op OP Far PR <u>Per</u> <u>Co</u>

WFS example

able Of Contents	4 х	Elso a b				
: 🛛 😣 📮 🗄		A				
🛛 <i> E</i> ayers		Part of the second				
🖃 🗹 AZtherm	alSprings WFS	1. 1.				
Tempe	Sec. 25 1 20					
• <25		Twentynine				
• 25-35		Palms				
• 35-50		Section 1				
• 50-75		India Millio				
>75						
	T FLOG TEST	Sec. Sec.				
	Well Headers	12 V ~				
	thermal/A7BoreholeTemperat	Brawley				
	and the second	El Centro				
	ranhic	Mexica				
	Taphie					
	and Mans	and the second				
		STREED LL				
±-⊠ 03/	A TOPO Maps	Baia				
Table		and the local division of the local division				
□	2 □ 型 ×					
AZthermalSprin	igs WFS					
SHAPE *	ThermalSpringURI					
Multipoint	http://resources.usgin.org/uri-gin/azgs/thermalspring/AP34.43441					
Multipoint	http://resources.usgin.org/uri-gin/azgs/thermalspring/CE31.36201					
Multipoint	http://resources.usgin.org/uri-gin/	azgs/thermalspring/CE31.53211 /azgs/thermalspring/CE31.67381				
	gran gran gran	3				

→ C ff (© services.azgs.az.gov/arcgis/services/aasggeothermal/AZThermalSprings/MapServer/WFS

s:FeatureCollection xsi:schemaLocation="http://stategeothermaldata.org/uri-gin/aasg/xmlschema/simple p://services.azgs.az.gov/arcgis/services/aasggeothermal/AZThermalSprings/MapServer/WFSServer?request p://www.opengis.net/wfs http://schemas.opengis.net/wfs/1.1.0/wfs.xsd" xmlns:aasg="http://stategeothe ns:qml="http://www.opengis.net/qml" xmlns:wfs="http://www.opengis.net/wfs" xmlns:xsi="http://www.w3. <qml:boundedBy> <gml:Envelope srsName="urn:ogc:def:crs:EPSG:6.9:4326"> <qml:lowerCorner>31.3619999999998 -114.745/qml:lowerCorner> <gml:upperCorner>36.8995000000003 -109.1289</gml:upperCorner> </gml:Envelope> </gml:boundedBy> gml:featureMember> <aasg:thermalSprings gml:id="F2 1"> <aasg:OBJECTID>1</aasg:OBJECTID> <aasg:ThermalSpringURI>http://resources.usgin.org/uri-gin/azgs/thermalspring/AP34.4344109.3986/ <aasg:Label>Salado Springs: 22C</aasg:Label> <aasg:Name>Salado Springs</aasg:Name> <aasg:Source>Waring, Gerald A., 1965. Thermal Springs of the United States and Other Countries of y.USGS Prof Paper 492, 407 pp. | Berry, George W., Grim, Paul J. and lkelman, Joy A. June 19 d Atmospheric Administration Key to Geophysical Records Documentation No. 12.</aasg:Source> <aasg:FeatureType>warm spring</aasg:FeatureType> <aasg:SourceURI>http://www.ngdc.noaa.gov/hazard/data/pp492.pdf</aasg:SourceURI> <aasg:LandLeaseOwner>unknown</aasg:LandLeaseOwner> <aasg:County>Apache</aasg:County> <aasg:OtherLocationName>AMS SAINT JOHNS | USGS SALADO 7.5</aasg:OtherLocationName> <aasg:PLSS Meridians>Gila and Salt River Meridian</aasg:PLSS Meridians> <aasg:State>Arizona</aasg:State> <aasg:Range>28E</aasg:Range> <aasg:Township>12N</aasg:Township> <aasg:Section >17</aasg:Section > <aasg:LatDegree>34.434399999999997</aasg:LatDegree> <aasg:LongDegree>-109.3986</aasg:LongDegree> <aasg:LocationUncertaintyStatement>Group of springs on topo</aasg:LocationUncertaintyStatement> <aasg:Temperature>21.8500000000001</aasg:Temperature> <aasg:TemperatureUnits>C</aasg:TemperatureUnits> <aasg:TempMeasurementProcedure>unknown</aasg:TempMeasurementProcedure> <aasg:Flow>2</aasg:Flow> <aasg:FlowMeasurementProcedure>unknown</aasg:FlowMeasurementProcedure> <aasg:FlowUnits>GPM</aasg:FlowUnits> <aasg:FlowMeasurementDateTime>unknown</aasg:FlowMeasurementDateTime> <aasg:MeasurementSource>unknown</aasg:MeasurementSource> <aasg:Classification>6</aasg:Classification> <aasg:RelatedWaterChemistry>unknown</aasg:RelatedWaterChemistry>

Progress

- Subcontracts for data acquisition from 50 states
- Announcement, review and decisions on supplemental funding for new data from 16 states; contracts in negotiation
- Project web site designed, implemented, and maintained (<u>www.stategeothermaldata.org</u>)
- Implementation of catalog (<u>http://catalog.usgin.org/geoportal</u>)
 - Metadata for 20,000+ digital resources (as of 6/10/2011)
- Development of procedure and web tools for tracking data submission review and processing
- Compilation identified and documented 27 draft content models
 - 10 content models developed, reviewed and version 1 posted <u>http://www.stategeothermaldata.org/data-delivery/content-models/</u>
- First 20 WFS and WMS services online
 - See <u>http://services.azgs.az.gov/ArcGIS/rest/services/aasggeothermal</u> or catalog (<u>http://catalog.usgin.org/geoportal</u>, search WMS)







Web site

- Overview
- Announcements
- Jobs
- Webinars
- Content Models
- Member Site
 - Reporting
 - Repository
 - Newsletter
 - Upcoming Dates



Welcome to State Geothermal Data

State Geological Surveys in the U.S. have thousands of databases, directories, and 53,0004 geologic mags that collectively constitute a national geoscience data "backdone" for research and aggications.

The State Geohermal Data project, organized by the Association of American State Geologists (AASC) with funding from the Department of Konegy, will bring table from all 35 States into the National Geohermal Data System (NGDS). We are digitizing at-table apport geoherm-televant data and gublishing watering digital data by expansing databases and directories to the network. A limited amount of new data in ansas lacking ortical information is also being collected.

The Association of American State Geologiata (AASG) represents the State Geologiata of the 30 Unlist States and Puerto Roo. Founded in 1922, AASG seeks to advance the science and practical agricultur of geology and restate earth sciences in the Unlist States and is instructure, communities, and possessions.

Latest SGD.org Announcements

Welcome to the new StateGeothermalData org site!

Last Updated: Non. May 16, 2011

StatisFachemetDatuog has received employees, adding functionally and improved communications for sub-receipents of the Statis Gesthermat Data Project and the gubic. For the gubic, the site provider a comprehensive overview of the project, subcratic feeds to the most up-toches and network news on perchammic energy, and access to all gubicly available data on the Statis Geschermal Data Project including Weinnes, White Pagers, and completed devinations.

Geothermal News

Section of Assesse in Pointin Sectory, 21 May 2011 Annue U.S. Sectionment Power Production and Determined Report U.S. Sectionment Power Production and Determined Report Tuesday, 11 May 2011 Section Sector Internation Tuesday, 11 May 2011

Who's sending data?

Jan Diseash Latest Update: Apr 15, 201 Alastis bottom hole temperatuma spreaduleet with 23 sempte bit1; these are comeded, and they also have indexeding problem with permetroat.

1000

Quick Links

Content Model Territeter
 United Siles
 Second Dive Online

· Waterara Weara

Recent Activity

Post Your Questions in the Comments



www.stategeothermaldata.org







Project sponsored by the U.S. Department of Energy under award DE-EE0002850 to the Arizona Geological Survey acting on behalf of the Association of American State Geologists. Cartography by JCD.





Project sponsored by the U.S. Department of Energy under award DE-EE0002850 to the Arizona Geological Survey acting on behalf of the Association of American State Geologists. Cartography by JCD.







Project sponsored by the U.S. Department of Energy under award DE-EE0002850 to the Arizona Geological Survey acting on behalf of the Association of American State Geologists. Cartography by JCD.













Project sponsored by the U.S. Department of Energy under award DE-EE0002850 to the Arizona Geological Survey acting on behalf of the Association of American State Geologists. Cartography by JCD.





Project sponsored by the U.S. Department of Energy under award DE-EE0002850 to the Arizona Geological Survey acting on behalf of the Association of American State Geologists. Cartography by JCD.

Future Direction 2011-2012

- All regional hubs operational
- All states providing data live to the network
- All submitted data described by metadata in catalog system
- Training programs developed & implemented: webinars, videos, guidebooks, online tutorials, short courses
- SAB review of YR-1; evaluate and approve YR-2
- Carry out bulk of new data acquisition, including drilling a minimum of 21 gradient and research holes in 6 states
- Prototype deployment of the system roll out summer 2011







Summary

- Deployment of national distributed network in progress
- Data compilation from all 50 states
- Main system components in place
 - Find: Catalogs profiles, protocols, document repository
 - Get: Services protocols, interchange formats, servers
 - Use: Clients adopting existing software for desktop applications
- Leveraging additional data and apps from state & federal agencies, academia, and industry
- System adoption exceeds expectations and our ability to meet demands from third parties



Supported by award: DE-EE0002850







Towards a Global Data Network























END





